



● Engine

Powered by a 127cc XR550 Briggs + Stratton petrol engine.




● Double-section Treaded Steel Rear Roller, Differential

The deep-tread, no-slip steel back roller provides tremendous traction. The differential mechanism makes turning easy.



● Heavy duty Synchronic Belt

Heavy duty Synchronic Belt allows long durability and stable transmission performance



1 Solid welded steel frame

ensures superior strength and virtual indestructibility.

2 Excellent maneuverability

The perfect balance of the machine allows easy maneuverability.

3 Longer lasting cut, precision cut

Handcrafted of heat-treated high carbon steel, allowing for sharper blades and a longer lasting cut. Six bladed precision cutting cylinders delivering 95 cuts per meter

4 Handlebar foldable for storage/transport

5 Easy side cover removal/re-fitting



6 Unique design allows Cartridges to interchange very easily and smoothly



7 Grass box

The grass box is made from durable high-density polyethylene, and the simple and convenient mounting method provides easy access and removal.



8 Rear Roller with Scraper

Heavy steel rear roller helps produce those beautiful, classic stripes
Cable Mud Scraper Keeps the back roller clean in the wet



9 Precise Height Adjustment

Cartridge

A unique system of exchangeable cartridges allows you to transform your mower into a dethatcher, scarifier, aerator or a brush within within a matter of minutes. It allows for a range of lawn-care tasks using just one machine. The better care you take of your lawn, the healthier and denser it will become.



●10 BLADE CARTRIDGE

For enhanced lawn care, an optional 10-bladed Cartridge can be fitted in place of the standard 6 blade cutting unit. If you want to achieve a golf green finish, then you need to mow at the lower heights. At lower heights the standard 6 bladed cartridge will not be fine enough to achieve the results you want. Use the 10-bladed cylinder for the finest, lowest results, and increase the clip-rate of your mower from 95 to 158 by inserting this cartridge.

Working Depth:3-30mm



●Scarifier

The scarifier cartridge is a general-purpose cartridge that removes loose surface debris, including thatch, treated moss, and leaves, and helps keep your lawn clean and healthy. The rotating spring tines are relatively gentle on the lawn, and this cartridge can be used most of the year around without fear of damage. After using the cartridge, the grass is brushed through and it is easier to trim it better and more precisely.

Working Depth: 0-28 mm



●Dethatcher

Dethatcher is used to cut the lawn vertically. The Dethatcher is the most aggressive cultivation cartridge with curved blades at wider spacings. The high-speed blades rotate to cut and remove thatch and prune plants and roots. The machine works by rigorously penetrating the soil's surface in order to pick up and remove layers of thatch such as dead grass and leaves, plant stolons and weed growth. Removal of excessive thatch and moss enables more water, air, and nutrients to absorb into the soil to be provided to the grass root.

Working Depth: -6-25 mm



● Scarifier

The scarifier cartridge is a general-purpose cartridge that removes loose surface debris, including thatch, treated moss, and leaves, and helps keep your lawn clean and healthy. The rotating spring tines are relatively gentle on the lawn, and this cartridge can be used most of the year around without fear of damage. After using the cartridge, the grass is brushed through and it is easier to trim it better and more precisely.

Working Depth: 0-28 mm

| MODEL | RMC20 |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Engine | B&S 550, 3.5hp, 127cc |
| Start | Recoil start |
| Recommended Lawn Size | Up to 350m ² |
| Interchangeable Cartridge | 10 Bladed Cutting Cylinder, Verticutter Cartridge, De-Thatcher Cartridge, Scarifier Cartridge, Aerator Cartridge, Lawn Brush Cartridge |
| Cutting Width | 502mm |
| Cutting Cylinder | 6pcs (standard), 10pcs (optional) |
| Cutting Height Range | 6-30mm |
| Cylinder Diameter | 146.6mm |
| Bed Knife Material | 40MnB |
| Foward Speed | 4.2km/h (2800rpm) |
| Deck | high strength constructional steel, 3mm |
| Handle | height adjustment: 800-1000mm foldable |
| Grassbox Capacity | Plastic/63L |
| Drive Method | Self-propelled |
| Drive System | Belt&Chain |
| Clutch | Belt Clutch |
| Front Roller | Smooth Steel |
| Rear Roller | Treaded steel rear roller, differential |
| Net Weight | 89.2kg |
| Gross Weight | 112kg |
| Warranty | One Year |